Amend The Claims As Follows:

141 (Amended) A nucleotide having the [general] formula,

wherein P is [the] a phosphoric acid moiety, S is a [the] sugar moiety and B is a pyrimidine, purine or 7-deazapurine [the base] moiety, [the phosphoric acid moiety] P being attached to the 3' or the 5' position of the sugar moiety when said nucleotide is a deoxyribonucleotide and at the 2', 3' or 5' position when said nucleotide is a ribonucleotide, [said base] B [being a purine or pyrimidine, said base B] being attached to the 1' position of S from the N1 position when B is a pyrimidine or the N9 position [to the 1' position of the sugar moiety] when [said base] B is a [pyrimidine or a] purine or 7-deazapurine, [respectively,] and [wherein] Sig is [a chemical moiety] covalently attached to [the phosphoric acid moiety] P directly or via the chemical linkage

said Sig, when attached to [said phosphoric acid molety] P does not interfere substantially with the characteristic ability of Sig to form a detectable signal and represents a molety which is detectable when said nucleotide is incorporated into a double-stranded nucleic acid duplex [being capable of signalling itself or making itself self-detecting or its presence known].

Add The Following New Claims:

204. An oligo- or polydeoxyribonucleotide comprising at least one nucleotide in accordance with Claim 1.

205. An oligo- or polyribonucleotide comprising at least one nucleotide in accordance with Claim 1.

206. A nucleotide in accordance with Claim 1 wherein Sig is a moiety containing at least 3 carbon atoms.

Enz-5 (Div. 6)

- 207. The nucleotide of Claim 1 wherein Sig is selected from the group consisting of mono-, oligo- and polysaccharides.
- 208. The nucleotide of Claim 207 wherein Sig is selected from the group consisting of triose, tetrose, pentose, hexose, heptose and octose.
- 209. The nucleotide of Claim 1 wherein Sig includes a glycosidic linkage moiety.
- 210. The nucleotide of Claim 1 wherein Sig is a sugar residue and such sugar residue is complexed with a binding protein for such sugar residue.
- 211. The nucleotide of Claim 210 wherein such binding protein is a lectin.
- 212. The nucleotide of Claim 211 wherein such lectin is Concanavalin Λ
- 213. The nucleotide of Claim 1 wherein Sig comprises a component selected from the group consisting of biotin, iminobiotin, an electron dense component, a magnetic component, an enzyme, a hormone component, a radioactive component, a metal-containing component, a fluorescent component, an antigen, a hapten and an antibody component.
- 214. The nucleotide of Claim 213 wherein such electron dense component is ferritin.
- 215. The nucleotide of Claim 211 wherein such lectin is conjugated to ferritin.
- 216. The nucleotide of Claim 212 wherein said Concanavalin A is conjugated to ferritin.
- 217. The nucleotide of Claim 213 wherein Sig comprises a radioactive isotope.
- 218. The nucleotide of Claim 217 wherein such radioactive isotope is radioactive cobalt.

Enz-5 (Div. 6)

- 219. The nucleotide of Claim 213 wherein Sig comprises an enzyme.
- 220. The nucleotide of Claim 219 wherein such enzyme is selected from the group consisting of alkaline phosphatase, acid phosphatase, B-galactosidase, ribonuclease, glucose oxidase and peroxidase.
- 221. The nucleotide of Claim 213 wherein Sig comprises a fluorescent component.
- 222. The nucleotide of Claim 221 wherein such fluorescent component is selected from the group consisting of fluorescein, rhodamine and dansyl.
- 223. The nucleotide of Claim 213 wherein Sig comprises a magnetic component.
- 224. The nucleotide of Claim 223 wherein such magnetic component comprises a magnetic oxide.
- 225. The nucleotide of Claim 224 wherein such magnetic oxide is ferric oxide.
- 226. The nucleotide of Claim 213 wherein Sig includes a hapten component capable of complexing with an antibody specific thereto.
- 227. The nucleotide of Claim 1 wherein Sig includes a catalytic metal-containing component.
- 228. An oligo- or polynucleotide comprising at least one nucleotide of Claim 1 and wherein the oligo- or polynucleotide is terminally ligated or attached to a polypeptide.
- 229. A composition comprising an oligo-or polynucleotide including at least one nucleotide of Claim 1, a polypeptide capable of forming a complex with Sig and a moiety which can be detected when such complex is formed.
- 230. The composition of Claim 229 wherein such polypeptide comprises a polylysine.

- 231. The composition of Claim 229 wherein such polypeptide is selected from the group consisting of at least one of avidin, streptavidin and anti-Sig immunoglobulin.
- 232. The composition of Claim 229 wherein Sig is a ligand and such polypeptide is an antibody thereto.
- 233. The composition of Claim 229 wherein said detectable moiety is selected from the group consisting of biotin, iminobiotin, an electron dense component, a magnetic component, an enzyme, a hormone component, a radioactive component, a metal-containing component, a fluorescent component, an antigen, a hapten and an antibody component.